EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L18	2	(I or (in\$phase) with (Q or quadrature near phase)) with (before or after) with (symbol near synchroni\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:42
L19	5	(I or (in\$phase) with (Q or quadrature near phase)) with (imbalance or mismatch or offset) with (before or after) with (synchroni\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05
L20	13	(I or (in\$phase) with (Q or quadrature near phase)) with (imbalance or mismatch or offset) with (before or after) with (synchroni\$6) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:44
L21	11	(I or (in\$phase) with (Q or quadrature near phase)) with (imbalance or mismatch or offset) with (compensat\$4) with (synchroni\$6) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 11:45
SI	7	"140135".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 10:33
25	4	"536641".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 10:49
83	58	(QPSK)with (scrambl\$4 near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:00
S6	6	(QPSK)with (scrambl\$4 near2 code)and (compensation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/04/01 11:06

S7	56	(CPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:08
S8	5	(QPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensation)and (imbalance)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:08
S9	203	(QPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensation or estimation) and (imbalance or error or offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:20
S10	4	(QPSK)with ((scrambl\$4 or spread\$4) near2 code)same (compensation or estimation) same (imbalance or error or offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01
S11	4	(QPSK)with ((scrambl\$4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and (imbalance or error or offset or mismatch\$4) and (before near3 synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01
S12	6	(OPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and (before near3 (synchroniz\$5 or synchronis \$5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/01
S13	3	("6853631").URPN.	USPAT	OR	OFF	2008/04/01 11:35
S14	238	(OPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/01
S15	105	(CPSK) with ((scrambl\$4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4)) and (synchroniz \$5 or synchronis\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:37

S17	90	(CPSK) with ((scrambls4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 ((imbalance or error or offset or mismatch\$4)) and (synchroniz\$5 or synchronis\$5) and (correlation or covariance)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	6	2008/04/01 11:42
S18	56	(CPSK) with ((scrambls4 or spread\$4) near2 code) and (compensat84 or estimat84 or find\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5) and ((cross near2 correlation) or covariance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:42
S19	41	[CIPSK] with ((ccrambl\$4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5) and ((cross near2 correlation) or covariance) and (mean)	US PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OX	2008/04/01 11:43
\$20	40	(CPSK)with ((scrambl\$4 or spread\$4) near;2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 ((mbalance or error or offset or mismatch\$4)) and (synchronix\$5 or synchronix\$5 and ((cross near2 correlation) or covariance) and (mean) and (square)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/01
S21	39	(CPSK) with ((scrambl\$4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 ((phase or error or offset or mismatch\$4)) and (synchroniz\$5 or synchronis\$5) and ((cross near2 correlation) or covariance) and (mean) and (square) and (low near2 pass or (low-pass) or (LPF))	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/01

S22	26	(CPSK) with ((scrambl\$4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronics\$5) and ((cross near2 correlation) or covariance) and (mean) and (square) and (low peas pass or (Iow-pass) or (LPF)) and (FMS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 11:44
\$23	28	(CPSG)with ((scramblS4 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or ind\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5) and ((cross near2 correlation) or covariance) and (mean) and (square) and (low near2 pass or (low-pass) or (LPF)) and (FFC or leed-forward or (feed near2 forward))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	00	2008/04/01
S25	1	wo-0150616-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 13:13
S26		(QPSK)with ((scramblS4 or spreads4) near2 code)same (compensatS4 or estimatS4 or findS4 or calculatS5)same (imbalance or error or offset or mismatchS4)and (synchronizS5 or synchronisS5)and ((cross near2 correlation) or covariance)and (mean)and (square)and (low near2 pass or (low-pass) or (LPF))and (FFC or feed-forward or (feed near2 loward)) and (QPSK or PSK)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	6	2008/04/01 14:59
\$27	224	(complex near2 scrambling near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:20
S31	62	((scrambl\$4 or spread\$5) near2 code)same (QPSK or PSK) and (cross-correlation or correlation or covariance)and (RMS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	000	2008/04/01 15:25

S32	36	(I with Q with correlation with ratio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:30
S33	14	(I with Q with correlation with ratio)and (@ad<="20021209")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:31
\$35	69	(I with O) with (ratio)with(RMS or mean or square)with (ratio) and (@ad<="20021209")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:33
\$36	44	(I with Q) with (ratio)with(RMS or mean or square)with (ratio) and (FFC or feed)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:36
S37	5	(I with Q) with (ratio)with(RMS or mean or square)with (ratio) and (FFC or feed) and (PSK or QPSK)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:36
S38	0	(I with Q) with (ratio)with(RMS or mean or square)same (despread\$4 or descramb\$5) and (demodulat\$5)and (mixer or multiplexer or mux)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:41
S41	18	(I with Q) with(FMS or mean or square)same (despread\$4 or descramb\$5)and (demodulat\$5) and (mixer or multiplexer or mux)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:43
S42	1	(I with Q) with (ratio)with(RMS or mean or square)same (despread\$4 or descramb\$5) and (demodulat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 15:45
S53	2	"7050480".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/04/01 16:19

S58	2	"6289048".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:48
S63	2	"20020097812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 16:59
S64	0	(CPSY)with ((scrambl\$4 or spread\$4) near2 code)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5) and \$58	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:10
S65	0	(CPSY)with ((scrambl\$4 or spread\$4) near2 code)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and (synchroniz \$5 or synchronis\$5) and \$63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:10
S66	203	(CPSK)with ((scrambl\$4 or spread\$4) near2 code)and (compensation or estimation) and (imbalance or error or offset)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:11
S67	0	S66 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:11
S68	0	S66 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:11
S69	5171	((scrambl\$4 or spread\$4) near2 code)and (compensation or estimation)and (imbalance or error or offset or mismatch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/01 17:12
S70	46	(I with Q) with (ratio)with (LPF or LP or low-pass or low near2 pass)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:48

S71	19	(I with Q) with (ratio)with (LPF or LP or low-pass or low near2 pass)and (imbalance or offset or error or mismatch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 10:49
S72	28	(CPSG/with ((scrambl84 or spread\$4) near2 code) and (compensat\$4 or estimat\$4 or lind\$4 or calculat\$5) and ((phase or gain) near3 (imbalance or error or offset or mismatch\$4)) and (synchroniz \$5 or synchronis\$5) and ((cross near2 correlation) or covariance) and (mean) and (square) and (low near2 pass or (low-pass) or (LPF)) and (FFC or feed-forward or (feed near2 forward)) and (CPS\$6 or FSK)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02
S73	81	(I with Q) with (ratio or divid\$3) with (LPF or LP or low-pass or low near2 pass)and (imbalance or offset or error or mismatch)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:00
S74	17	(I with Q) with (ratio or divid\$3) with (LPF or LP or low-pass or low near2 pass)same (imbalance or offset or error or mismatch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:01
S75	1501	(I/Q or (I near2 Q))with (imbalance or error or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4 or find\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02
S76	394	(I/Q or (I near2 Q))with (imbalance or error or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4 or find\$4).ab,ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:17
S77	164	(I/Q or (I near2 Q))with (imbalance or error or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4 or find\$4)same (divid\$4 or ratio)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:18
S78	251	(I/Q or (I near2 Q))with (imbalance or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4).ab, ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:18

S79	111	(I/Q or (I near2 Q))with (imbalance or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4).ab, ti. and (ratio or divid\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 11:19
S80	24	(I/Q or (I near2 Q))with (imbalance or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4)same (ratio or divid\$4).ab,ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 13:05
S81	101	(I/Q or (I near2 Q))with (imbalance or offset or mismatch)with (compensat\$4 or estimat\$4 or calculat\$4)same (ratio or divid\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 13:05
S82	2	"7167513" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 13:14
S83	2	"7248625" .pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 13:16
S84	2	"7173988".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/02 13:20
S86	23	correla\$7 with (divi\$7) with squar\$7 with (i or in\$1phas\$7 or q or quadratur\$7) and @ad<"20021209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:14
S87	44	correla\$7 with (divi\$7 or ratio) with (squar\$7 or RMS)with (i or in\$1phas\$7 or q or quadratur \$7) and @ad<"20021209"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:19

S88	6	in\$1phas\$7 or q or quadratur \$7)and((scrambl\$4 or spread	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:20
S89	7	correla\$7 with (divi\$7 or ratio) with (squar\$7 or RMS)with (i or ini\$1phas\$7 or q or quadratur \$7)and((scramb)\$4 or spread \$4) near2 cod\$4)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and @ad<*20021209*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03 10:25
S90	6	correla\$7 with (divi\$7 or ratio) with (squar\$7 or FM/S)with (i or in\$1phas\$7 or q or quadratur \$7)and((scrambi\$4 or spread \$4) near2 cod\$4)and (compensat\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4)and (LPF or LP or low-pass or lowpass) and @ad<*20021209*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/03 10:26
S91	18	correla\$7 with (divi\$7 or ratio) with (squar\$7 or RMS)with (i or in\$1phas\$7 or q or quadratur \$7)and(scrambi\$4 or spread\$4) and (compensati\$4 or estimat\$4 or find\$4 or calculat\$5)and (imbalance or error or offset or mismatch\$4) and (@ad<*20021209*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/03
S94	2	(phase or gain) with (imbalance or error or offset or mismatch), ab. and (spread\$4 or scrambl\$4 or cod\$4)and (LPF or LP or low-pass or low near2 pass) and (correla\$7 with (divi\$7 or ratio) with (squar \$7 or PMS)with (i or in\$1phas \$7 or q or quadratur\$7))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/04
S95	3	(phase or gain) with (imbalance or error or offset or mismatch), ab. and (spread\$4 or scrambl\$4 or cod\$4) and (correla\$7 with (div\$5 or ratio) with (squar\$7 or FMS)with (i or in\$1 phas\$7 or q or quadratur \$7))	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/04/04 13:19

S96	2	"7310388".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:22
S97	2	EP-1416691-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:24
S98	2	"20060251189"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:27
S99	283	((Q or quadrature\$4) with square with (ratio or divid\$4) with (I or in\$1phase\$4) with square)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:29
S100	88	((Q or quadrature\$4) with square with (ratio or divid\$4) with (I or in\$1phase\$4) with square) and (phase or gain) with (imbalance or error or offset or mismatch)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:30
S101	43	((Q or quadrature\$4) with square with (ratio or divid\$4) with (I or in\$1phase\$4) with square) and (phase or gain) with (imbalance or error or offset or mismatch) same (estimat\$5 or compensat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04
S102	2	"7158586".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:40
S103	2	*20050181749*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:42
S104	2	"20060056554"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/04 13:43

S105	2	"20060039506"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 10:09
S106	2	"20070177694"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/08 10:09
S107	0	(ratio or divid\$4) adj2 (square or FMS) adj2 (I or in\$1phase \$4) adj2 (square or FMS) adj2 (Q or quadrature\$5) adj2(I or in \$1pahse\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/04/08 10:19
S108	87	(ratio or divid\$4) with (square or RMS) with (I or in\$1phase \$4) with (square or RMS) with (Q or quadrature\$5) with (I or in\$1pahse\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/04/08
S109	14	(ratio or divid\$4) with (correlation or correction) with (I or in\$1phase\$4)with(Q or quadrature\$5) with (square or RMS) with (I or in\$1pahse\$4)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/04/08
S110	4	(ratio or divid\$4) with (correlation or correction) with (I or in\$1phase\$4)with(Q or quadrature\$5) with (square or FMS) with (I or in\$1pahse\$4) and (@ad<="20021209")	US: PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2008/04/08 10:30
S111	902	(I or (in\$1phase\$4) with (Q or quadrature)) with (mismatch or error or offset or imbalance) with (compensat\$4 or estimat \$5) and (integrat\$5) and (fleedback or feed-back or loopback or loop-back or fed or feed-forward or ff() and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10
S112	28	(I or (in\$1phase\$4) with (Q or quadrature)) with (mismatch or error or offset or imbalance) with (compensat84 or estimat \$5) and (integrat\$5) and (fleedback or feed-back or loopback or loop-back or loopback or loop-back or loophack or mison ar until and (scrambl§4 or spread\$4) and (scrambl§4 or spread\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	0 0	2008/04/10 10:02

S113	2	"20040002323"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 11:53
S114	1099	375/324.cdls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 11:56
S115	0	375/324.cols. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 11:56
S116	0	455/324.ccls. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:48
S117	0	714/408.ccls. and S112	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:49
S118	1	455/147.ccls. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:49
S119	0	455/148.ccls. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:49
S120	0	375/261.ccls. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:49
S121	1	375/297.cols. and S112	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2008/04/10 12:49

S122	0	375/147.cds. and S112	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:49
S123	11	375/324.cds. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S124	25	455/324.cds. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S125	0	714/408.cds. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S126	0	714/408.cols. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S127	1	455/147.cds. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S128	17	375/261.ccls. and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S129	10	375/297.ccls. and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:50
S130	8	375/147.cds. and S111	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 12:51

S131	1	(((PIERLUIGI) near2 (D"ALESSANDRO)).INV.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 13:02
S132	130753	(philips) .as.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 13:03
S133	11	(philips).as. and S111	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 13:03
S135	3	(CPSk near demodulat\$4) same (scrambling near code)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/08 11:24
S136	4	"536641".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/08 11:31
S137	6	"137468".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/08 12:50
S138	1	"7436915".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/08 12:50
S139	2	(tanmay near shah).xa.	US-PGPUB; US-PGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/08 12:52
S141	1204	((phase or gain) near (imbalance or offset)) same (synchroni\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:18

S142	92	((phase or gain) near (imbalance or offset)) same (synchroni\$5) same (before or prior)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:18
S143	54	((phase or gain) near (imbalance or offset)) same (synchroni\$5) same (before or prior) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:18
S144	3	"20030139167"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/12 11:20
S145	1	(I near Q near imbalance) with (synchro\$6) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 17:44
S146	5	(I near Q near imbalance) same (synchro\$6) and (@ad<="20050527")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 17:45
S151	1	(I near Q near imbalance) and (symbol near synchro\$6) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/24 17:55
S152	2109	((I or in\$1phase) with (Q or (quadrature near phase))) same (synchronization) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:27
S153	1731	((I or in\$1phase) with (Q or (quadrature near phase))) same (synchronization) and (@ad<="20021209")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:27
S154	133	((I or in\$1phase) with (Q or (quadrature near phase)) with (imbalance or offset or mismatch)) same (synchroni\$6) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:29

S155	2	"6289048",pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:34
S156	2	"20020097812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/02 14:35
S157	56	((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:06
S158	17	(estimat\$4 or calculat\$4 or find \$4 or compensat\$4) with ((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5)	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:06
S159	9	(estimat\$4 or calculat\$4 or find \$4 or compensat\$4) with ((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5) and (@ad<="20021203")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03
S160	4	(estimat\$4 or calculat\$4 or find \$4 or compensat\$4) near2 ((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5) and (@ad<= "20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:09
S161	3	"20030139167"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:11
S162	15	((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5) same (demodulat \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:13
S163	10	((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5) same (demodulat \$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:14

S164	4	"536641".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:14
S165	6	((phase or gain) near (imbalance or offset or mismatch)) same (symbol near synchroniz\$5) and (CPSK near demodulat\$4) and (@ad<="20021209")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:16
S166	6	(QPSK near demodulat\$4) same ((phase or gain) near (offset or imbalance or mismatch or error)) same (synchroni\$7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:19
S167	2	"6289048",pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:21
S168	3	"2002097812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:21
S169	2	(QPSK near demodulat\$4) same ((phase or gain) near (offset or imbalance or mismatch or error)) same (constellation or mapping)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:26
S170	3	(QPSK near demodulat\$4) same ((phase or gain) near (offset or imbalance or mismatch or error)) same (constellation or map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:26
S171	6	(QPSK near demodulat\$4) same ((phase or gain) near (offset or imbalance or mismatch or error)) same (const \$6 or map\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:27
S172	3	\$6 or map\$4) and	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 16:28

S173	2	"20020097812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OX	2008/12/03 16:29
S174	4	"536641".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:22
S175	12	((phase or gain) near (imbalance or offset or error or mismatch)) same (synchron\$6 or timing) same (QPSK near demodul\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:37
S176	11	((phase or gain) near (imbalance or offset or error or mismatch)) same (synchrons6 or timing) same (CPSK near demodul\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:37
S177	11	((phase or gain) near (imbalance or offset or error or mismatch)) same (synchron\$6 or timing or mapping) same (QFSK near demodul\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:38
S178	15	((phase or gain) near2 (imbalance or offset or error or mismatch)) same (synchron\$6 or timing or mapping) same (QFSK near demodul\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:40
S179	15	((phase or gain) near4 (imbalance or offset or error or mismatch)) same (synchron\$6 or timing or mapping) same (QFSK near demodul\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:41
S180	19	((phase or gain) near4 (imbalance or offset or error or mismatch)) same (synchron\$6 or timing or mapping) same (QPSK near2 demodul\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 17:42
S181	3	"20030139167"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:42

S182	2	"6289048".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:42
S183	3	"2002097812"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 13:43
S184	3485	(symbol near synchronization)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:03
S185	123	(symbol near (synchronization or map\$4)) same (demodulat \$4 with (I or In\$1phase) with (Q or quadrature))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:04
S186	56	(symbol near (synchronization or map\$4)) same (demodulat \$4 with (I or In\$1phase) with (Q or quadrature)) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:04
S187	17	(symbol near (synchronization or map\$4)) with (demodulat\$4 with (I or In\$1phase) with (Q or quadrature)) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 14:04
S188	4	2004/0002323	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:04
S189	2	"20040002323"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:05
S190	1	UMTS and (demodulat\$4 with QPSK) same (I with Q with imbalance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:06

S191	25	UMTS and (I with Q with imbalance)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:07
S192	6	UMTS and (I with Q with imbalance) and (@ad<="20021209")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:08
S193	2	"6289048".pn.	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 10:15
S196	2	"20020097812"	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 10:16
S197	136	(feed near back) same ((I or in \$1phas\$4) with Q or (quad \$5phas\$4)) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 11:47
S198	2431	(feed near back or (feedback)) same ((I or in\$1phas\$4) with Q or (quad\$5phas\$4)) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 11:48
S199	39	(feed near back or (feedback)) same ((I or in\$1phas\$4) with Q or (quad\$5phas\$4)) same (filter) same (correlation) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 11:48
\$200	5	(feed near back or (feedback)) same ((I or in\$1phas\$4) with Q or (quad\$5phas\$4)) same (filter) same (cross near correlation) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/26 13:49
S202	728	(cross near correlat\$4) same ((I or (in\$phase)) with (Q or (quadrat\$4 near phase)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:02

\$203	45	(cross near correlat\$4) same (((I or (in\$phase)) with (Q or (quadrat\$4 near phase))) same ((compensat\$4 or calculat\$4 or rebalanc\$4 or adjust\$4) with (imbalance or mismatch or error or offset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MOR	ON	2009/05/28 18:07
S204	32	(cross near correlatis4) same ((1 or (insphase)) with (Q or (quadrats4 near phase))) same ((compensats4 or calculats4 or rebalancs4 or adjusts4) with (imbalance or mismatch or error or offset)) and ((@adc = "20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:08
\$205	177	(cross near correlat\$4 oe (covariance)) same ((1 or (in \$phase)) with (Q or (quadrat\$4 near phase))) same (((compensat\$4 or calculat\$4 or rebalanc\$4 or adjust\$4) with ((mbalance or mismatch or error or offset)) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:11
\$206	9	(cross near correlati\$4 oe (covariance) same ((I or (in \$phase)) with (Q or (quadrat\$4 near phase))) same ((compensat\$4 or adjust\$4) with (imbalance or mismatch or eror or offset)) same ((gedcac) and (g@adc="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:29
\$207	353	(WCDMA or UMTS) and (feed- forward or feed-back)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:31
\$208	44	(WCDMA or UMTS) same (feed- forward or feed-back)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/28 18:31
\$209	16	(WCDMA or UMTS) same (feed- forward or feed-back) and (@ad<="20050527")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	OR	ON	2009/05/28 18:31

\$210	3	"20030139167"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/01 15:27
\$211	130	(modulat\$4 with (scrambl\$4 or spread\$4)) same (filter\$4) same (integrat\$4 or add\$4) same (error or offset or mismatch or imbalance) and (@ad<="20050527")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:27
S212	95	(modulat\$4 with (scrambl\$4 or spread\$4)) same (filter\$4) same (integrat\$4 or add\$4) same (error or offset or mismatch or imbalance) and (@ad<="20021209")	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 11:28
S213	15	(modulat\$4 with (scrambt\$4 or spread\$4)) same (filter\$4) same (integrat\$4 or add\$4) same (error or offset or mismatch or imbalance) same ((I or (in\$phase)) with (Q or (quadrat\$4 near phase))) and ((@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02
\$214	443	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (synchro \$6) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:52
\$215	29	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (symbol near synchro\$6) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:53
\$216	0	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (symbol near synchro\$6) same (imbalan&4) and ((@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03
S217	0	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (symbol near synchro\$6) same (imbalance) and (@ad<="20021209")	US-PGPUB; USPAT; USOOR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:53

S218	0	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer) same (symbol near (syndhro\$6 or map\$4)) same (imbalance) and ((@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03
\$219	1	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (synchro \$6 or map\$4) same (imbalance) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:54
\$220	1	((I or in\$1phase) with (Q or (quadrature near phase))) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (synchro \$6 or map\$4) same (imbalance or mismatch) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:54
S221	120	((I or in\$1phase) with (Q or (quadrature near phase)) with (multip\$4 or (cross near correlat \$4) or (mixer)) same (synchron \$6 or map\$4) same (imbalance or mismatch or offset or error) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 11:54
\$222	1	"6771692".pn.	USPAT	OR	OFF	2009/06/03 13:44
\$223	4	(multipl\$4) with ((I or in \$phase) with (Q or quadrature near2 phase)) same (filter\$4) same (integrat\$4 or sampl\$4 or add\$4) same (correlat\$4 or modif\$4) same (compensat\$4) and (@ad<="20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04
\$224	24	(multipl\$4) with ((I or in \$phase) with (Q or quadrature near2 phase)) same (filter\$4) same (integrat\$4 or sampl\$4 or add\$4) same (correlat\$4 or modif\$4) and (estimat\$4 same compensat\$4) and (@ad<= "20021209")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04
\$225	7	(multipl\$4) with ((I or in \$phase) with (Q or quadrature near2 phase)) same (filter\$4) same (integrat\$4) same (correlat\$4 or modif\$4) and (estimat\$4 same compensat\$4) and (@ad<="20021200")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/04 17:42

6/5/2009 12:03:11 PM

C:\ Documents and Settings\ tshah1\ My Documents\ EAST\ Workspaces\ 10536641.wsp